

CEA (Clone CEA31)

Mouse Monoclonal Antibody

Specificity: Human. Others-unknown

Immunogen: Human colon carcinoma extract

Ig Class: IgG1/ κ


Storage: Store vial at 4°C. When stored at 2-8°C, this antibody is stable for 24 months

Staining procedures: Use formalin-fixed and paraffin-embedded sections. *Retrieval conditions:* Pretreatment of deparaffinized tissue with heat-induced epitope retrieval is recommended. *Detection methods:* Polymer anti-mouse/rabbit Ig detection system. *Working dilution:* 1:100-200; *Positive Control:* Colon carcinoma. *Cellular Localization:* Cytoplasmic and luminal membrane.

Description: Clone CEA31 has a high affinity for CEA and shows no detectable reactivity to nonspecific cross-reacting antigen (NCA), biliary glycoprotein (BGP), and human polymorphonuclear leucocytes. Ab-3 shows no reaction with a variety of normal tissues. CEA is not found in benign glands, stroma, or malignant prostatic cells. Antibody to CEA is useful in detecting early foci of gastric carcinoma and in distinguishing pulmonary adenocarcinomas (60-70% are CEA+) from pleural mesotheliomas (rarely or weakly CEA+).

Intended Use: This antibody is intended for in vitro diagnostic (IVD) use. CEA (CEA31) mouse monoclonal primary antibody is intended for laboratory use in the detection of CEA in formalin-fixed, paraffin-embedded tissue by immunohistochemical (IHC) staining. The staining results should be interpreted by qualified pathologists in conjunction with the patient's relevant clinical history.

Supplied As: Purified antibody in Tris-HCl buffer containing stabilizing protein and <0.1% sodium azide.



References:

1. Tron, V et al. *Arch Pathol Lab Med.* 1987; 111:291-3.
2. Abutaily, AS et al. *J Clin Pathol.* 2002; 55:662-8.
3. Carella, R et al. *Am J Surg Pathol.* 2001; 25:43-50.

Formalin-fixed, paraffin-embedded human colon carcinoma stained with anti-CEA polyclonal antibody using peroxidase-conjugate and DAB chromogen. Note cytoplasmic and luminal surface staining of tumor cells

REF Z2100M (1.0 ml) (Concentrate); Z2100MB (1mg/1ml)